

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Gallium Selenide

1. Product and Company Identification

Trade Name: Gallium selenide

Chemical Formula: Ga₂Se₃

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger





Hazard Statements: H300+H330: Fatal if swallowed or if inhaled

H373: May cause damage to organs through prolonged or repeated

exposure

Precautionary Statements: P260: Do not breathe dust/fume/gas/mist/vapours/spray

P284: Wear respiratory protection

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER

or doctor/physician

P320: Specific treatment is urgent

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 1

3. Composition

Chemical Family: Ceramic

Additional Names: Gallium triselenide, Gallium(III) selenide

Gallium selenide (Ga₂Se₃):

Percentage: 100 wt% CAS #: 12024-24-7 EC #: 234-693-8

4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None Important Symptoms: None Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult. Remove breathing apparatus only after contaminated clothing has been completely removed. Do not induce vomiting, seem medical attention. Ingestion: Wash affected area with mild soap and water. Remove any Skin: contaminated clothing. Eyes: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Flammability: Non-flammable Extinguishing Media: No special restrictions – use suitable extinguishing agent for surrounding material and type of fire. Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products. 6. Accidental Release Measures Wear appropriate respiratory and protective equipment specified in If Material Is Released/Spilled: special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. **Environmental Precautions:** Isolate runoff to prevent environmental pollution. 7. Handling and Storage Handling Conditions: Wash thoroughly after handling. **Storage Conditions:** Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit. 8. Exposure Controls and Personal Protection 0.2 mg/m³ as Se long-term value Permissible Exposure Limits: Threshold Limit Value: 0.2 mg/m³ as Se, long-term value **Special Equipment:** None **Respiratory Protection: Dust Respirator** Protective Gloves: Rubber gloves Eye Protection: Safety glasses or goggles Protective work clothing. Wear close-toed shoes and long **Body Protection:** sleeves/pants.

9. Physical and Chemical Characteristics

Color Red-brown

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor:
Water Solubility:
Decomposes
Boiling Point:
Melting Point:
Flash Point:
N/A
Autoignition Temperature:
Nlash garlic odor
N/A
N/A
N/A

Density: 4.92 g/cc
Molecular weight: 376.33 g/mol

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Oxidizing agents

Incompatible Conditions: None

Hazardous Decomposition Products: Selenium dioxide, Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes: May cause irritation Skin: May cause irritation

Ingestion: Fatal Inhalation: Fatal

Chronic: May cause damage to the central nervous system, the liver and the

digestive system through prolonged or repeated exposure. Route of

exposure: Oral, Inhalative

Selenium may cause amyotropic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: N/A

12. Ecological Information

Aquatic Toxicity: High
Persistent Bioaccumulation Toxicity: No
Very Persistent, Very Bioaccumulative: No

Notes: Very toxic for aquatic organism.

May cause long lasting harmful effect on aquatic life.

Do not allow material to be released to the environment without proper

governmental permits.

Do not allow product to reach any water sources.

Danger to drinking water if even extremely small quantities leak into

the ground.

Also poisonous for fish and plankton in water bodies.

Do not allow undiluted product or large quantities to reach ground


water, water course or sewage system. Avoid transfer into the environment.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 9 Miscellaneous dangerous substances and articles

Packing Group: III UN Number: UN3077

Proper Shipping Name: Environmentally hazardous substances, solid, n.o.s. (Gallium selenide)

15. Regulatory Information

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A Sec 313 Toxic Chemicals: Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 06/24/2016