



XI'AN FUNCTION MATERIAL GROUP CO., LTD
Material Safety Data Sheet
RUTHENIUM CHLORIDE

GENERAL

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD
Street: No. 69, Gazelle Valley, High-Tech Zone
City: XI'AN
State: Shannxi
Zip Code: 710077
Country: China
Tel #: +86-29-88993870/+86-13519132051

1. PRODUCT IDENTIFICATION

PRODUCT NAME: RUTHENIUM CHLORIDE
SYNONYM: RUTHENIUM (III) CHLORIDE TRIHYDRATE, RUTHENIUM TRICHLORIDE
CHEMICAL NATURE: METALLIC ELEMENT
FORMULA: $\text{RuCl}_3 \cdot 3\text{H}_2\text{O}$
CAS #: 14898-67-0

2. PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: N/A
MELTING POINT: N/A
SPECIFIC GRAVITY: 3.11 g/cc
EVAPORATION RATE: N/A
VAPOR DENSITY: N/A
VAPOR PRESSURE (mmHg): N/A
% VOLATILES: 60%
SOLUBILITY IN H_2O : SOLUBLE
APPEARANCE AND ODOR: RED-BROWN BLACK CRYSTAL, PUNGENT

3. HAZARD IDENTIFICATION

HAZARDOUS COMPONENTS %
RUTHENIUM CHLORIDE 0-100%
OSHA/PEL: N/A
ACGIH/TLV: N/A
HMIS RATINGS:
HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0
SPECIAL: B
NFPA RATING:
Health: 1
Flammability: 1
Reactivity: 0

4. FIRE FIGHTING MEASURES

FLASH POINT: N/A
AUTOIGNITION TEMPERATURE: NON-FLAMMABLE
FLAMMABLE LIMITS:
UPPER: N/A
LOWER: N/A

FLAMMABILITY:	HIGHLYFLAMMABLE
EXTINGUISHING MEDIA:	USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING MATERIALS AND TYPE OF FIRE
SPECIAL FIRE FIGHTING PROCEDURES:	FIREFIGHTERS MUST WEAR FULL FACE, SELF-CONTAINED BREATHING APPARATUS WITH FULL PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	MAY EMIT TOXIC FUMES OF Cl_2 , RUO_4 UPON DECOMPOSITION

5. HEALTH HAZARD INFORMATION

EFFECTS OF EXPOSURE:	TO THE BEST OF OUR KNOWLEDGE THE CHEMICAL, PHYSICAL AND TOXICOLOGICAL PROPERTIES OF RUTHENIUM CHLORIDE HAVE NOT BEEN THOROUGHLY INVESTIGATED AND REPORTED. CHLORIDES VARY WIDELY. SODIUM CHLORIDE (TABLE SALT) HAS VERY LOW TOXICITY, WHILE CARBONYL CHLORIDE (PHOSGENE) IS LETHAL IN SMALL DOSES (SAX, DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, EIGHTH EDITION).
INHALATION:	MAY CAUSE IRRITATION IF EXPOSURE IS PROLONGED OR EXCESSIVE.
INGESTION:	NO ADVERSE EFFECTS EXPECTED
..SKIN:	MAY CAUSE IRRITATION.
EYE:	PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION
CHRONIC AFFECTS:	NONE KNOWN
ROUTES OF EXPOSURE:	INHALATION, INGESTION, SKIN CONTACT, EYE CONTACT.
CARCINOGENITY:	
NTP:	NO
IARC:	NO
OSHA:	NO
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:	NONE KNOWN

6. STABILITY

STABILITY:	STABLE
CONDITION TO AVOID:	NO DATA
INCOMPATIBILITY (MATERIAL TO AVOID):	IRON CARBONYL, ZINC, MAGNESIUM, ALUMINUM
HAZARDOUS DECOMPOSITION PRODUCTS:	HYDROGEN CHLORIDE, TOXIC METAL COMPOUNDS..
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR.

7. EMERGENCY AND FIRST AID PROCEDURES:

REMOVE ANY CLOTHIONG SOILED BY THE PRODUCT	
INHALATION:	SUPPLY FRESH AIR. IF REQUIRED, GIVE ARTIFIAL RESPIRATION. KEEP THE PERSON WARM. SEEK MEDICAL AID.
..INGESTION:	SEEK MEDICAL ADVICE.
SKIN:	FLUSH WITH SOAP AND WATER FOR 15 MINUTES. SEEK MEDICAL ADVICE
EYE:	FLUSH WITH WATER, INCLUDING UNDER EYELIDS, FOR AT LEAST 15 MINUTES. SEEK MEDICAL ADVICE.

8. HANDLING AND STORAGE

HANDLING AND STORAGE

STORE IN COOL DRY PLACE, KEEP TIGHTLY SEALED WHEN NOT IN USE, READ MSDS BEFORE USING.

9. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

SWEEP OR VACUUM UP SPILL USING A HIGH EFFICIENCY PARTICULATE ABSOLUTE (HEPA) AIR FILTER AND PLACE IN AN AIRTIGHT PLASTIC CONTAINER. TAKE CARE NOT TO RAISE DUST.

RESPIRATORY PROTECTION VENTILATION: LOW LEVELS. SKIN PROTECTION:

NIOSH/MSHA APPROVED DUST RESPIRATOR
USE LOCAL EXHAUST TO MAINTAIN CONCENTRATION AT GENERAL EXHAUST IS RECOMMENDED
WEAR FULL COVER CLOTHING AND RUBBER GLOVES TO MINIMIZE SKIN CONTACT

PROTECTIVE GLOVES:

RUBBER.

EYE PROTECTION:

SAFETY GOGGLES WITH SIDE SHIELDS

PROTECTIVE CLOTHING:

NORMAL LABWEAR.

WASTE DISPOSAL METHOD:

SHIP TO PRECIOUS METAL REFINER OR DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS

10. TOXICITY DATA

TO THE BEST OF OUR KNOWLEDGE, ACUTE AND CHRONIC TOXICITY OF THIS PRODUCT IS NOT FULLY KNOWN. EXPOSURE TO RUTHENIUM COMPOUND MAY CAUSE IRRITATION TO SKIN, CORROSIVE EFFECT TO EYES. NO SENSITIVITY EFFECT. NO CARCINOGENIC CLASSIFICATION S ARE AVAILABLE FROM THE EPA, IARC, NTP, OSHA OR ACGIH.

11. TRANSPORTATION DATA

UN NUMBER: 3260
HAZARD CLASS: 8
ADR//RID CLASS: 8 CORROSIVE SUBSTANCES
IMDG CLASS: 8
AIR TRAN. ICAO/IATA CLASS: 8
MARITIME TRAN. IMDG CLASS: 8

12. OTHER INFORMATION

THIS SAFETY DATA SHEET SHOULD BE USED IN CONJUNCTION WITH TECHNICAL SHEETS. IT DOES NOT REPLACE THEM. THE INFORMATION GIVEN IS BASED ON OUR KNOWLEDGE OF THIS PRODUCT, AT THE TIME OF PUBLICATION. IT IS GIVEN IN GOOD FAITH. THE ATTENTION OF THE USER IS DRAWN TO THE POSSIBLE RISKS INCURRED BY USING THE PRODUCT FOR ANY OTHER PURPOSE OTHER THAN THAT FOR WHICH IT WAS INTENDED. THIS DOES NOT IN ANY WAY EXCUSE THE USER FROM KNOWING AND APPLYING ALL THE REGULATIONS GOVERNING HIS ACTIVITY. IT IS THE SOLE RESPONSIBILITY OF THE USER TO TAKE ALL PRECAUTIONS REQUIRED IN HANDLING THE PRODUCT. THE AIM OF THE MANDATORY REGULATIONS MENTIONED IS TO HELP THE USER TO FULFILL HIS OBLIGATIONS REGARDING THE USE OF HAZARDOUS PRODUCTS.